



THE WORLD'S **BEST** CYCLING ACCESSORIES



For more information about Topeak, please contact your nearest Topeak authorized bicycle distributor or visit our Website: [www.topeak.com](http://www.topeak.com)

Product specifications subject to change without prior notification. All content © Topeak, Inc. 2020 03/2020

2020  
NEW PRODUCT PREVIEW










Life is full of simple pleasures: a rush of cool morning air, the smell of freshly brewed coffee and exploring the world, without a care, on your favorite bike. The last thing you should worry about is your equipment and when you ride with Topeak gear, you'll never have to.

For the 2020 season Topeak introduces over sixty new and updated products for every kind of cyclist. We've added exciting new products to our Bikepacking series and PakGo series, developed new mini-pumps and floor pumps, new tubeless tire repair tools and innovative power link tools. Further refinements to bags, lighting, fenders, racks and more, reinforces our commitment to create the world's best cycling accessories. With over twenty eight years of experience, Topeak continues to lead the pack!



#### **PREPARE TO RIDE**



PUMPS  
SERIES

DIGITAL		2-STAGE	TUBELESS			ROAD
						
JoeBlow® Pro Digital Page 07	JoeBlow® Sport Digital Page 07	JoeBlow® Sport 2-Stage Page 08	JoeBlow® Booster (Update) Page 09	TubiBooster X Page 09	TubiBooster (Currently Available) Page 11	HybridRocket HP Page 11







TOOLS  
SERIES





TORQUE	RATCHET	TOOLCARD		ALIEN	POWER LINK	POWER LINK + TUBELESS
						
Torq Stick Page 12	Ratchet Stick Page 12	ToolCard Page 13	Omni ToolCard Page 13	ALIEN® X Page 14	Mini P20 Page 15	Mini PT30 Page 15









TOOLS  
SERIES

BIT KITS		POWER LINK PLIERS / TIRE LEVERS	
			
Allen BitKit 9 Page 20	Torx BitKit 9 Page 20	Power Lever Page 21	Power Lever Counter Display Box Page 21

BIKEPACK-  
ING  
SERIES

BAGS					
					
FrontLoader 8L Page 27	TopLoader 0.75L Page 28	MidLoader 3L / 4.5L / 6L Page 29	BackLoader 6L / 10L / 15L Page 30	BarLoader Page 31	FreeLoader Page 31

TWIN TURBO		ANALOG GAUGES	
			
Roadie TT Page 10	Roadie TT Mini Page 10	Shuttle Gauge G2 Page 11	AirBooster G2 (Currently Available) Page 11

TUBELESS						TUBELESS REPAIR PLUGS	
							
Tubi 11 Page 16	Tubi 11 Combo Page 16	Tubi 18 Page 17	Tubi Pod Page 18	Tubi Pod X Page 18	Tubi Master Page 19	Tubi PlugBox Page 17	Tubi Repair Plugs Page 17

PAKGO™  
SERIES

BIKE CASES		CYCLING GEAR
		
PakGo® (Currently Available) Page 23	PakGo® XS Page 23	PakGo® GearPack Page 25

BAGS  
SERIES

TOP TUBE MOUNT			SADDLE RAILS	REAR RACK		
						
FastFuel TriBox Page 33	FastFuel DryBag X Page 34	FastFuel DryBag (Currently Available) Page 34	Burrito Pack Page 34	Pannier DryBag 15L / 20L Page 35	MTS TRUNKBAG DXP Page 36	MTS TRUNKBAG EX Page 36






## RIDECASE SERIES

IPHONE 11 PRO MAX	IPHONE 11 PRO	IPHONE 11
		
RideCase® Page 37	RideCase® Page 37	RideCase® Page 37



## STAND SERIES

EVENT	STORAGE
	
Rally Stand Page 36	FlashStand® Slim X Page 37






## RACKS SERIES

E-MOUNTAIN / MOUNTAIN	E-ROAD / ROAD	QT ADAPTER
		
TetraRack M1 (Front) Page 46	TetraRack M2 (Rear) Page 46	TetraRack R1 (Front) Page 47
		
TetraRack R2 (Rear) Page 47	Omni QuickTrack® Adapter Page 49	


## MOUNTS SERIES

CAR	COCKPIT BAR
	
Omni CarMount Page 39	Cockpit Center Mount Page 49

## BOTTLE CAGES SERIES

STORAGE	RIGHT HAND	LEFT HAND
		
Escape Pod S Page 38	Escape Pod M Page 38	Escape Pod L Page 38
		
Ninja Cage SK+ Right Hand Page 39	Ninja Cage SK+ Left Hand Page 39	

## FENDERS SERIES

FORK STEM	DOWN TUBE	SADDLE RAILS	SEAT TUBE
			
D-Flash FS Page 43	D-Flash DT Page 43	D-Flash S Page 43	D-Flash ST Page 43

## LIGHTS SERIES

REAR	FORK SIDE
	
TailLux 100 USB Page 48	SideLux 100 USB Page 48

# PUMPS SERIES

## BUILT FOR EFFICIENCY



www.topeak.com



Easy-to-read, super-accurate digital gauge displays pressure to 200 psi / 14 bar



SmartHead® DX3 w/ low profile air release button for fine tuning tire pressure



Wide steel base provides stability



Easy-to-read, super-accurate digital gauge displays pressure to 160 psi / 11 bar



Hammer type TwinHead® DX5 with longer lever for easier use, works with Presta/Schrader/Dunlop valves

### JOEBLOW™ PRO DIGITAL

An easy-to-read top-mounted digital gauge with rubber bumper impact protection delivers accurate tire pressure readings up to 200psi / 14bar. The large padded handle provides comfort while the wide steel base keeps everything stable. The extra-long hose can even reach bikes mounted in a work stand. The SmartHead® DX3 automatically adjusts to fit Presta or Schrader valves and a new lower profile air release button allows fine tuning of tire pressure while preventing unintended pressure release.

HEAD	SmartHead® DX3 w/ air release button & extra-long hose
BARREL	Painted steel
GAUGE	200 psi / 14 bar, Top mounted digital (Tolerance : < 100 psi ± 1 psi / > 100 psi ± 1%)
UNIT	psi, bar, kg / cm²
BATTERY	CR2032 x 1 (included)
VOLUME PER STROKE	337 cc
HANDLE	Oversize padded / Dual density polymer
BASE	Hardened steel
ADDED FEATURES	Cushioned rubber for digital gauge protection, Auto off, Dunlop valve adapter, Presta valve adapter, Ball / bladder heads, Hose dock
SIZE	73.5 x 25.5 x 16.4 cm / 28.9" x 10" x 6.5"
WEIGHT	1.97 kg / 4.34 lb
ART NO.	TJB-PRO-DG

#### SMARTHEAD TECHNOLOGY

### JOEBLOW® SPORT DIGITAL

An easy-to-read mid-mounted digital gauge delivers accurate tire pressure readings up to 160psi / 11bar. Hammer type TwinHead® DX5 pump head with an extra-long, tangle-free hose makes it easy to reach valve stems. A durable steel barrel and large steel base with ergonomic padded handle make it easy to get your ride up to pressure fast.

HEAD	Hammer type TwinHead® DX5, Presta / Schrader / Dunlop valves with extra-long 360 pivot hose
BARREL	Painted steel
GAUGE	160 psi / 11 bar, Mid mounted flip-down digital (Tolerance : < 100 psi ± 1 psi / > 100 psi ± 1%)
UNIT	psi, bar, kg / cm²
BATTERY	CR2032 x 1 (included)
VOLUME PER STROKE	318 cc
HANDLE	Oversize padded / Dual density polymer
BASE	Hardened steel
ADDED FEATURES	Cushion rubber for digital gauge protection, Auto off, Ball / bladder heads, Hose dock
SIZE	68 x 25.4 x 18 cm / 26.7" x 10" x 4.6"
WEIGHT	1.8 kg / 3.97 lb
ART NO.	TJB-S6-DG

#### TWINHEAD TECHNOLOGY

# JOEBLOW® SPORT 2STAGE

The JoeBlow Sport with unique 2-stage design delivers both high pressure and high volume in record time. Stage one opens both barrels for huge volume, reaching 30 psi with 30% less effort than standard floor pumps. Stage two utilizes the small barrel for pressures up to 160 psi. Hammer type TwinHead® DX5 pump head with an extra-long and tangle-free hose makes it easy to reach valve stems. A durable steel barrel and large steel base provide extra stability.

HEAD	Hammer type TwinHead® DX5, Presta / Schrader / Dunlop valves with extra-long 360 pivot hose
BARREL	Painted steel / Anodized aluminum
GAUGE	160 psi / 11 bar, 3" mid mount analog Stage 1 : 0 - 30 psi Stage 2 : 30 - 160 psi
VOLUME PER STROKE	715 cc (Stage 1) 258 cc (Stage 2)
HANDLE	Oversize / Dual density polymer
BASE	Hardened steel
ADDED FEATURES	Ball / bladder heads, Hose dock
SIZE	74 x 26.6 x 18 cm / 29.1" x 10.5" x 4.6"
WEIGHT	2.5 kg / 5.51 lb
ART NO.	TJB-S2STG

## TWINHEAD TECHNOLOGIES



Simply switch the selector to change between Stage 1 and Stage 2.



3", easy-to-read, mid-mounted analog 2-stage precision gauge  
Stage 1 : 0 - 30 psi (big volume)  
Stage 2: 30 - 160 psi (high pressure)



Hammer type TwinHead® DX5 with longer lever for easier use, works with Presta/Schrader/Dunlop valves

# TUBIBOOSTER X

TubiBooster X seats and fills tubeless tires fast! An aluminum air tank with hose and inflator head stores a massive air volume of one liter at pressures up to 200 psi / 14 bar. Charge with a floor pump to quickly fill your tires or to ensure proper seating of a tubeless tire on the rim. Simply pump up the air tank in "CHARGE" mode and flip the selector to "INFLATE" mode to rapidly inflate or seat the tire ensuring perfect pressure. Integrated flexible hose with inflation head works with Presta and Schrader valves and takes stress off the valve stem while pumping.

AIR TANK VALVE COMPATIBILITY	Presta pumps
TIRE VALVE COMPATIBILITY	Presta / Schrader valves
AIR CHAMBER	One liter volume, Up to 200 psi / 14 bar air pressure (Varies with the pump capacity) Working Pressure - 1800 psi / 124 bar
MATERIAL	Aluminum / Rubber / Engineering grade polymer
ADDED FEATURE	Flexible hose
SIZE	36 x 114 x 8.6 cm cm / 14.2" x 4.5" x 3.4" (Total) 28.5 x ø8.1 cm / 11.2" x ø3.2" (Air chamber)
WEIGHT	985 g / 2.17 oz (Total) 820 g / 1.81 lb (Air chamber)
ART NO.	TUB-BSTX TRK-TUBX01 (w/out air tank)


# TUBIBOOSTER X HOSE KIT

ART NO.	TRK-TUBX01
---------	------------



## 2 STAGE TECHNOLOGY

Delivers both high pressure and high volume in record time.



# ROADIE TT TWIN TURBO

The Roadie TT Twin Turbo is a full metal, pocket sized mini pump that transfers larger air volume from a bigger diameter outer chamber into a smaller diameter inner chamber to deliver more air at higher pressures to fill tires 50% faster and easier. Integrated dust cap keeps pump head clean and thumb lock lever ensures an air-tight seal.

HEAD	Presta with integrated dust cap
BARREL / THUMB LOCK / HANDLE	Aluminum
CAPACITY	160 psi / 11 bar
VOLUME PER STROKE	31.6 cc (Mini) / 41.4 cc
ADDED FEATURES	Side mount bracket
SIZE	16.5 x 3.3 x 2.35 cm / 6.5" x 1.3" x 0.9" (Mini) 19.5 x 3.3 x 2.35 cm / 7.7" x 1.3" x 0.9"
WEIGHT	90 g / 3.17 oz (Mini) 100 g / 3.53 oz
ART NO.	<b>Roadie TT Mini</b> TRTT-1B (Black) TRTT-1S (Silver)  <b>Roadie TT</b> TRTT-2B (Black) TRTT-2S (Silver)



Roadie TT Mini  
(16.5 cm in length)

Roadie TT  
(19.5 cm in length)

www.topeak.com

# HYBRIDROCKET HP

Road mini pump, CO<sub>2</sub> inflator, or both. The choice is yours! HybridRocket technology combines the reliability of a mini pump with the rapid tire filling ability of a CO<sub>2</sub> inflator in a single unit. Designed for the high performance road rider, the HybridRocket HP lets you quickly rejoin the group after fixing a flat. The mini-sized pump and integrated CO<sub>2</sub> inflator lets you choose between pumping, inflating with CO<sub>2</sub> or a combination of both.

HEAD	SmartHead™ ThreadLock with integrated dust cap
BARREL	CNC aluminum
HANDLE	Aluminum / Dual density polymer
CAPACITY	160 psi / 11 bar
VOLUME PER STROKE	23 cc
ADDED FEATURES	PCT Cap (Presta Core Tool Cap) Included 1 threaded 16g CO <sub>2</sub> cartridge*, Dust caps Detachable mounting bracket (Art no. THR-HP1S-C1)
SIZE	20 x 3.9 x 2.35 cm / 7.9" x 1.5" x 0.9"
WEIGHT	99 g / 3.49 oz
ART NO.	THR-HP1B (Black) THR-HP1S (Silver)

## SMARTHEAD TECHNOLOGY

\* Use only Topeak 16g CO<sub>2</sub> cartridges.



Use as a CO<sub>2</sub> inflator



Use as a mini pump



Built-in tool (PCT Cap) to tighten or remove two-piece Presta valve cores



Integrated with a pump to inflate tires and tire pressure measurement



Works as a tire pressure measurement gauge



# SHUTTLE GAUGE G2

This mini sized gauge can be attached between the pump and valve to read pressures while pumping or used alone. Provides pressure readings up to 160 psi / 11 bar. Rotating gauge is easy to read and the head works with Presta, Schrader or Dunlop\* valves on bikes / motorcycles / car tires, forks or shocks while the Thumb Lock lever ensures an airtight seal. An air release button allows fine tuning of pressure.

PUMP HEAD COMPATIBILITY	Presta / Schrader pumps
TIRE VALVE COMPATIBILITY	Presta / Schrader / Dunlop valves
GAUGE	Reads 160 psi / 11 bar, 1-1/2" analog
PRESSURE TUNING	Air release button
MATERIAL	Engineering grade polymer / Aluminum
ADDED FEATURES	360 degree rotatable gauge, Dust cap
SIZE	6.2 x 5.8 x 3 cm / 2.4" x 2.3" x 1.2"
WEIGHT	50 g / 1.76 oz
ART NO.	TSUTG-04

\* Pressure reading with Dunlop valves occur only when inflating.



## TT TWINTURBO TECHNOLOGY

Larger volume outer barrel compresses huge amounts of air into a smaller diameter inner barrel to deliver more air and higher pressure with less strokes.



Presta head with aluminum thumb lock lever ensures airtight seal



Side mount bracket included





## TORQ STICK

An incredibly compact torque wrench with adjustable torque value range of 2-10 Nm. A standard hex drive reversible ratcheting head with adjustable preset torque values allows you to tighten frame or component bolts safely and with confidence. Includes a five bit storage pen with visible window design letting you find the correct bit quickly and easily.

<b>FUNCTIONS</b>	7
<b>TOOLS</b>	3 / 4 / 5 Allen bits T20 / T25 Torx® bits
<b>TORQ RANGE</b>	2 - 10 Nm
<b>BITS MATERIAL</b>	S2 hardened steel
<b>RATCHET MATERIAL</b>	Hardened steel
<b>BODY MATERIAL</b>	Aluminum / Engineering grade polymer
<b>ADDED FEATURES</b>	Ratchet tool and 5 bit storage pen
<b>SIZE</b>	15 x 2.5 x 2.15 cm / 5.8" x 1" x 0.85" (Torque tool)
<b>WEIGHT</b>	174 g / 6.14 oz (Torque tool w/ storage pen)
<b>ART NO.</b>	TT2587

### 7 FUNCTIONS



Pull down and rotate torque adjustment knob as shown to increase or decrease torque value



Place hand in position shown when applying torque to achieve highest accuracy



## RATCHET STICK

A compact, easy to use and carry ratchet wrench with built-in compartment letting you store five of your most commonly used bits. The separate bit storage pen features a visible window to find the correct bit quickly, while the 4 / 5mm Allen bits with 30mm length makes it easy to reach tough bolt locations.

<b>FUNCTIONS</b>	14
<b>TOOLS</b>	2 / 3 / 6 mm Allen bits 4 / 5 mm Allen bits (30 mm bit length) T10 / T15 / T20 / T25 Torx® bits #2 Phillips screw driver bit
<b>BITS MATERIAL</b>	S2 hardened steel
<b>RATCHET MATERIAL</b>	Hardened steel
<b>BODY MATERIAL</b>	Aluminum / Engineering grade polymer
<b>ADDED FEATURES</b>	Ratchet tool, bit screwdriver, Ratchet wrench integrated compartment for five bits, and 5 bit storage pen
<b>SIZE</b>	14.2 x ø 1.85 cm / 5.6" x 0.73" (Ratchet tool)
<b>WEIGHT</b>	148 g / 5.22 oz (Ratchet tool w/ storage pen)
<b>ART NO.</b>	TT2586

### 14 FUNCTIONS



Reversing ratchet with thumb wheel action



Included 10 tool bit storage capability with visible window for easy handling and carry



## TOOLCARD

A unique 14 function ball-end Allen wrench set and Torx wrench set stored in an innovative organizer folding body that's small enough to fit in a jersey pocket or saddle bag. Included extension arm adds leverage when needed.

<b>FUNCTIONS</b>	14
<b>TOOLS</b>	15 / 2 / 2.5 / 3 / 4 / 5 / 6 mm ball end Allen wrenches 8 mm Allen bits T10 / T15 / T20 / T25 Torx® wrenches #2 Phillips screw driver
<b>TOOL MATERIAL</b>	S2 hardened steel
<b>RATCHET MATERIAL</b>	Hardened steel
<b>CARD MATERIAL</b>	Engineering grade polymer
<b>ADDED FEATURES</b>	Extension arm, Color coding
<b>SIZE</b>	10.1 x 6.3 x 1.4 cm / 4" x 2.5" x 0.55"
<b>WEIGHT</b>	170 g / 5.99 oz
<b>ART NO.</b>	TT2588

### 14 FUNCTIONS



Card type case with built-in tool holder keeps tools organized and secure



Single ball-end Allen wrenches for hard to reach and blind locations



Included extension arm helps add leverage to 5 / 6 / 8 mm hex tools



## OMNI TOOLCARD

An incredibly compact 16 function ratchet set with ball-end Allen wrench set. 7 ratchet bits and 7 ball-end Allen wrenches are stored in an innovative organizer folding body that's small enough to fit in a jersey pocket or saddle bag.

<b>FUNCTIONS</b>	16
<b>TOOLS</b>	15 / 2 / 2.5 / 3 / 4 / 5 / 6 mm ball end Allen wrenches 3 / 4 / 5 / 6 / 8 mm Allen bits T25 Torx® bit #2 Phillips screw driver bit
<b>TOOL MATERIAL</b>	S2 hardened steel
<b>RATCHET MATERIAL</b>	Hardened steel
<b>CARD MATERIAL</b>	Engineering grade polymer
<b>ADDED FEATURES</b>	Ratchet tool, bit screwdriver, 30mm bit length, and Color coding
<b>SIZE</b>	10.1 x 6.3 x 1.7 cm / 4" x 2.5" x 0.67"
<b>WEIGHT</b>	185 g / 6.52 oz
<b>ART NO.</b>	TT2589

### 16 FUNCTIONS



30mm bit length makes it easy to reach tough bolt locations



Card type case with built-in tool holder keeps tools organized and secure



Color coded 4 / 5 / 6mm Allen wrenches / bits for easy identification



Knurling makes bits easy to grasp and remove from Ratchet tool or organizer



## ALIEN® X

The evolution of the world famous ALIEN tool transforms the X into the ultimate 34 function pro quality folding tool. The ALIEN X features T10 / T15 / T20 / T25 / T30 Torx® tools and adds a master link pliers for use on master link equipped single/multi-speed chains. Two piece design allows easy access and full use of all tools and adds leverage when tightening bolts. Includes self-tightening tools and a nylon bag.

<b>FUNCTIONS</b>	<b>34</b>
<b>TOOLS</b>	1.5-L / 2-L / 2.5 / 3 / 4 / 5 / 6 / 8 mm Allen wrenches, 10 hex socket T10 / T15 / T20 / T25 Torx® wrenches, T30 Torx® socket 14G / 15G / Mavic M7 / Shimano® 4.5mm spoke wrenches CrMo steel chain tool*, chain hook, CrMo steel master link pliers** Super hard anodized tire lever*** #2 Phillips sockets, serrated knife / saw Presta valve core tool, engineering grade polymer disc spacer
<b>TOOL MATERIAL</b>	Chrome vanadium steel
<b>BODY</b>	Engineering grade polymer
<b>BAG</b>	1800 denier HD Nylon (TRK-T025)
<b>ADDED FEATURES</b>	Secondary chain link fence, chain pin breaker, chain pin compartment, master link storage compartment, two piece design, extendable for leverage, self-tightening tools, and protective knife cover
<b>SIZE</b>	7.8 x 4.5 x 4 cm / 3.1" x 1.8" x 1.6"
<b>WEIGHT</b>	204 g / 7.20 oz
<b>ART NO.</b>	TT2585

### 34 FUNCTIONS



ALIEN® technology allows tool to separate into 2 pieces for more versatility when making repairs



Smooth, machined profile is comfortable on the hands




Protective knife cover design adds safety while repairing



Includes its own durable storage bag



Two-piece tool design works as a master link pliers



Includes one disc spacer and a built-in compartment for a pair of master links (Master links not included)

\* The chain tool is compatible with single and multi-speed chains up to 12 speed, NOT including Campagnolo® hollow pin chains.  
\*\* The master link pliers is not compatible with Shimano® 11 / 12 speed Quick-Links (SM-CN900-11 / SM-CN910-12).  
\*\*\* The metal tire lever is designed for durability and for emergency use only.



## MINI P20

20 function pro-quality, precision mini tool with sleek forged alloy body. Integrated chain tool with built-in master link tool for removing master link type chains folds away for a streamlined profile. Compact forged alloy body. Perfect for any road or trailside repair.

<b>FUNCTIONS</b>	<b>20</b>
<b>TOOLS</b>	2 / 3 / 4 / 5 / 6 mm Allen wrenches 8 mm hex socket T15 / T25 Torx® wrenches 14G / 15G / Mavic M7 / Shimano® 4.5mm spoke wrenches CrMo steel chain tool*, CrMo master link tool #2 Phillips screw driver Serrated knife / saw
<b>TOOL MATERIAL</b>	Chrome vanadium steel
<b>BODY MATERIAL</b>	Forged aluminum
<b>BAG</b>	Neoprene (TRK-T026)
<b>ADDED FEATURES</b>	Knife blade lock, extendable for leverage, and secondary chain link fence
<b>SIZE</b>	7.4 x 2.9 x 1.8 cm / 2.9" x 1.1" x 0.7"
<b>WEIGHT</b>	131 g / 4.62 oz
<b>ART NO.</b>	TT2582B (Black) / TT2582GD (Gold) / TT2582S (Silver)

### 20 FUNCTIONS



Integrated chain and master link tool



14G / 15G / Mavic M7 / Shimano® 4.5mm spoke wrenches compatible



Smooth, forged and machined profile is comfortable on the hands



Knife blade lock adds safety when using knife



Extend tools for extra leverage when repairing



Tire plug insertion tool  
\* Tire repair plugs not included



Knife blade & plug insertion tool lock adds safety when using knife



Extend tools for extra leverage when repairing

## MINI PT30

30 function, pro-quality, precision mini tool with integrated tubeless tire repair tools. Removable chain tool with built-in master link tool for removing master link type chains stores securely within the Mini PT30 body. Forged alloy body. Perfect for any road or trailside repair.

<b>FUNCTIONS</b>	<b>30</b>
<b>TOOLS</b>	2L / 2.5 / 3 / 4 / 5 / 6 / 8 mm Allen wrenches, 10 mm hex socket T10 / T15 / T25 Torx® wrenches 14G / 15G / Mavic M7 / Shimano® 4.5mm spoke wrenches CrMo steel chain tool*, chain hook, CrMo master link tool #2 Phillips / flat head screw drivers Tire reamer, plug insertion tool Serrated knife / saw, disc spacer
<b>TOOL MATERIAL</b>	Chrome vanadium steel
<b>BODY MATERIAL</b>	Forged aluminum
<b>BAG</b>	Neoprene (TRK-T031)
<b>ADDED FEATURES</b>	Knife blade & plug insertion tool lock, extendable for leverage, secondary chain link fence, chain pin breaker, and master link storage compartment 7.4 x 4 x 1.9 cm / 2.9" x 1.6" x 0.7"
<b>SIZE</b>	
<b>WEIGHT</b>	169 g / 5.96 oz
<b>ART NO.</b>	TT2583B (Black) / TT2583GD (Gold) / TT2583S (Silver)

### 30 FUNCTIONS



Chain tool, master link tool and disc spacer store inside body and remove for use



Removable chain and master link tool

\* The chain tool is compatible with single and multi-speed chains up to 12 speed, NOT including Campagnolo® hollow pin chains.




## TUBI 11

11 function, pro-quality, precision mini tool with integrated tubeless tire repair functions. Tubeless repair tools conceal within the folding tool body. Integrated tubeless tire repair tools snap into the tool body for easy handling when repairing your tire. Perfect for any road or trailside repair.

<b>FUNCTIONS</b>	11
<b>TOOLS</b>	2 / 2.5 / 3 / 4 / 5 / 6 mm Allen wrenches T25 Torx® wrench 1 hardened steel tire lever*, knife Stainless steel 2-in-1 tire reamer / plug insertion tool
<b>TOOL MATERIAL</b>	Chrome vanadium steel
<b>BODY</b>	Forged aluminum
<b>SIZE</b>	7.6 x 2.7 x 1.7 cm / 3" x 1.1" x 0.7"
<b>WEIGHT</b>	83 g / 2.93 oz
<b>ART NO.</b>	TUB-11B (Black) / TUB-11GD (Gold) / TUB-11S (Silver)

### 11 FUNCTIONS



2-in-1 reamer / plug insertion tool reaming and plugging a tire puncture  
\* Tire repair plugs not included



Tubeless tire repair tools snap into tool body for easy handling when making tire repairs



Smooth, forged and machined profile is comfortable on the hands



Tubeless tire repair tools store inside tool body

\* The metal tire lever is designed for durability and for emergency use only.

## TUBI 11 COMBO

The 11 function tubeless tire repair mini tool and plugbox case with 5 pieces of 3.5mm x 5cm plugs are housed within a neoprene storage bag. Perfect for tire repairs and road or trail bike maintenance.

<b>TOOL</b>	Tubi 11
<b>PLUG STORAGE CASE</b>	Contains 5 pieces of 3.5mm x 5 cm tire repair plugs
<b>BAG</b>	Neoprene (TRK-T031)
<b>SIZE</b>	8 x 5 x 3 cm / 3.1" x 2" x 1.2"
<b>WEIGHT</b>	106 g / 3.74 oz
<b>ART NO.</b>	TUB-11CMB



Includes neoprene bag



## TUBI 18

18 function, pro-quality, precision mini tool with integrated tubeless tire repair functions. Tubeless repair tools and tire repair plug compartment store inside the tool body for a streamlined profile. Perfect for any road or trailside repair.

<b>FUNCTIONS</b>	18
<b>TOOLS</b>	2 / 2.5 / 3 / 4 / 5 / 6 mm Allen wrenches T10 / T25 Torx® wrenches #2 Phillips Stainless steel 2-in-1 tire reamer / plug insertion tool, Tool stop, serrated knife / saw, air-stop
<b>TOOL MATERIAL</b>	Chrome vanadium steel
<b>BODY</b>	Forged aluminum
<b>ADDED FEATURES</b>	Tool Lock, extendable for leverage, and 3 pieces of 3.5mm x 5cm tire repair plugs / compartment, and air-stop cover
<b>SIZE</b>	7.6 x 4.1 x 1.8 cm / 3" x 1.6" x 0.7"
<b>WEIGHT</b>	119 g / 4.20 oz
<b>ART NO.</b>	TUB-18B (Black) / TUB-18GD (Gold) / TUB-18S (Silver)

### 18 FUNCTIONS



## TUBI PLUGBOX

A tubeless tire repair plug box includes 5 pieces of 3.5mm x 5cm tire repair plugs for spare plugs refill and storage.

<b>SIZE</b>	7.6 x 1.8 x 1.7 cm / 3" x 0.7" x 0.67"
<b>WEIGHT</b>	14 g / 0.49 oz
<b>ART NO.</b>	TUB-PBOX



Integrated compartment for Tool Stop and 5 pieces of 3.5mm thick repair plugs



Tool lock for knife blade and tire reamer / plug insertion tool add safety



Air-stop cover adds safety



Detachable air-stop tool remains in tire to prevent tire pressure loss and makes it easy to insert tire repair plugs



Included tool stop helps keep the tire repair plug in place and eases plug tool removal



Included serrated knife helps trim excess tire repair plugs



## TUBI REPAIR PLUGS

Includes 10 pieces of 3.5mm x 10cm tire repair plugs. Use as a plug refill for Tubi Pod X, Tubi Pod, and Tubi PlugBox.

<b>ART NO.</b>	TUB-RP10
----------------	----------



## TUBI POD

A minimalist tubeless tire repair kit stores inside a machined alloy pod. The repair tools are integrated into the pod end caps that feature knurled surfaces delivering extra grip when repairing tire.

TOOLS	2-in-1 tire reamer / plug insertion tool, air-stop
TOOL MATERIAL	Stainless steel
POD MATERIAL	Aluminum
ADDED FEATURES	Repair plug compartment, 3 pieces of 3.5mm x 10cm tire repair plugs included
SIZE	11 x ø24 cm / 4.3" x 0.9"
WEIGHT	90 g / 3.17 oz
ART NO.	TUB-PD



Tubeless tire repair kit conveniently stores in alloy pod. Colored rings make repair tools easy to identify and use



Air-stop tool prevents tire pressure loss when repairing puncture



Repair tools integrated into end caps. Knurled surfaces provide extra grip



Tire Plug Insertion tool installs tire repair plug for a quick fix



## TUBI POD X

A compact, tubeless tire repair kit. Tubeless repair tools store inside a machined pod while five tire plugs store in a lightweight polymer pod. Both pods secure to a mounting module that can be strapped to a frame tube or seatpost – ready and waiting for action.

TOOLS	2-in-1 tire reamer / plug insertion tool, knife, air-stop
TOOL MATERIAL	Stainless steel
POD MATERIAL	Aluminum / Engineering grade polymer
ATTACHMENT	Adjustable nylon strap
MOUNT	Bike frame, tubes
ADDED FEATURES	Tool stop, repair plug compartment, mount module, and 5 pieces of 3.5mm x 10cm tire repair plugs included
SIZE	11.6 x 4.3 x 24 cm / 4.6" x 1.7" x 0.94"
WEIGHT	49 g / 1.73 oz
ART NO.	TUB-PDX




Tubeless tire repair tools and plugs store inside pods



Easily attaches to bike frame



Magnetic handle allows Air-stop tool to detach easily while tool handle is used for other functions



Tool stop helps keep the tire repair plug in place and eases plug tool removal



## TUBI MASTER

A complete tubeless tire repair / CO<sub>2</sub> inflation kit consisting of tubeless repair tools with four tire plugs stored inside a machined pod and a Micro AirBooster CO<sub>2</sub> inflator head secured to a mounting module that can be strapped to a frame tube or seatpost.

TOOLS	Micro AirBooster CO <sub>2</sub> inflator, one dummy CO <sub>2</sub> cartridge, stainless steel 2-in-1 tire reamer / plug insertion tool (small size for road bike), stainless steel knife
INFLATOR MATERIAL	CNC aluminum
POD MATERIAL	Aluminum
ATTACHMENT	Adjustable nylon strap
MOUNT	Bike frame, tubes
ADDED FEATURES	Tool stop, repair plug compartment, mount module, and 4 pieces of 3.5mm x 5cm tire repair plugs included
SIZE	13 x 5.4 x 2.85 cm / 5.1" x 2.1" x 1.1"
WEIGHT	80 g / 2.82 oz
ART NO.	TUB-MS2



\* Note : CO<sub>2</sub> cartridge (not included) is required to attach Micro AirBooster to mounting module


\* Use only Topeak CO<sub>2</sub> cartridges



## TUBI MASTER WITH 16G CO<sub>2</sub> CARTRIDGE

A complete tubeless tire repair / CO<sub>2</sub> inflation kit. Tubeless repair tools with four tire plugs store inside a machined pod and a Micro AirBooster with CO<sub>2</sub> cartridge secures to a mounting module that can be strapped to a frame tube or seatpost.

TOOLS	Micro AirBooster CO <sub>2</sub> inflator, one 16g CO <sub>2</sub> cartridge, stainless steel 2-in-1 tire reamer / plug insertion tool (small size for road bike), stainless steel knife
INFLATOR HEAD MATERIAL	CNC aluminum
POD MATERIAL	Aluminum
ATTACHMENT	Adjustable nylon strap
MOUNT	Bike frame, tubes
ADDED FEATURES	Tool stop, repair plug compartment, mount module, and 4 pieces of 3.5mm x 5cm tire repair plugs included
SIZE	13 x 5.4 x 2.85 cm / 5.1" x 2.1" x 1.1"
WEIGHT	120 g / 4.23 oz
ART NO.	TUB-MS



2-in-1 reamer / plug insertion tool and plugs store inside machined pod

\* Use only Topeak CO<sub>2</sub> cartridges




## ALLEN BITKIT 9

A complete 9 piece Torx bit set for road and mountain bike repair and maintenance. Designed to work with all Topeak ratchets and torque wrenches as well as other brand ratchets and bit drivers. Generous 30mm bit length makes it easy to reach tough bolt locations and knurling prevents fumbling when changing bits or removing bits from the organizer.

<b>FUNCTIONS</b>	9
<b>TOOLS</b>	1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm Allen bits
<b>TOOL MATERIAL</b>	S2 hardened steel
<b>ORGANIZER MATERIAL</b>	Engineering grade polymer
<b>COMPATIBILITY</b>	Ratchet Rocket series, D-Torq Wrenches, Nano TorqBar series, Torq Stick, Ratchet Stick, Omni Tool Card, 1/4" hex bit drivers
<b>ADDED FEATURE</b>	Color coding
<b>SIZE</b>	7.6 x 3 x 1 cm / 3" x 1.2" x 0.4"
<b>WEIGHT</b>	67 g / 2.36 oz
<b>ART NO.</b>	TT2591

### 9 FUNCTIONS



30mm bit length makes it easy to reach tough bolt locations



Color coded 4 / 5 / 6mm Allen bits for easy identification



## TORX BITKIT 9

A complete 9 piece Torx bit set for road and mountain bike repair and maintenance. Designed to work with all Topeak ratchets and torque wrenches as well as other brand ratchets and bit drivers. Generous 30mm bit length makes it easy to reach tough bolt locations and knurling prevents fumbling when changing bits or removing bits from the organizer.

<b>FUNCTIONS</b>	9
<b>TOOLS</b>	T6 / T7 / T8 / T9 / T10 / T15 / T20 / T25 / T30 Torx® bits
<b>TOOL MATERIAL</b>	S2 hardened steel
<b>ORGANIZER MATERIAL</b>	Engineering grade polymer
<b>COMPATIBILITY</b>	Ratchet Rocket series, D-Torq Wrenches, Nano TorqBar series, Torq Stick, Ratchet Stick, Omni Tool Card, 1/4" hex bit drivers
<b>SIZE</b>	7.6 x 3 x 1 cm / 3" x 1.2" x 0.4"
<b>WEIGHT</b>	56 g / 1.98 oz
<b>ART NO.</b>	TT2590

### 9 FUNCTIONS



30mm bit length makes it easy to reach tough bolt locations



Knurling makes bits easy to grasp and remove from organizer



Works with all Topeak ratchets and torque wrenches



Knurling makes bits easy to grasp and remove from organizer



Works with all Topeak ratchets and torque wrenches



## POWER LEVER

An ingenious lightweight multifunction tool! Two levers connect to form power link pliers for removing or installing a chain's master link. Power Lever easily separates into two pieces for use as two tire levers. Integrated chain hook holds chain steady while removing or installing master link.

<b>FUNCTIONS</b>	4
<b>TOOLS</b>	Power link pliers, tire levers and stainless steel wire chain hook
<b>TOOL MATERIAL</b>	Engineering grade polymer
<b>ADDED FEATURE</b>	Master link storage compartment
<b>SIZE</b>	11.5 x 2.3 x 1.8 cm / 4.5" x 0.9" x 0.7"
<b>WEIGHT</b>	42 g / 1.48 oz
<b>ART NO.</b>	TTL005

### 4 FUNCTIONS



Works as power link pliers to remove master links



Works as power link pliers to install master links



## POWER LEVER COUNTER DISPLAY BOX 25SETS

Counter display box holding 25 sets of Power Levers. The perfect impulse buy. Power Lever is a multifunction tool that installs or removes a chain's master link, separates into two pieces to function as tire levers and includes a chain hook to steady chain while removing or installing master link.

<b>SIZE</b>	18 x 16.5 x 13 cm / 7.1" x 6.5" x 5.1"
<b>WEIGHT</b>	1.27 kg / 2.80 lb
<b>ART NO.</b>	TTL006



Built-in compartments for a pair of chain links and chain hook (Chain link not included)



Separates into two tire levers


\* Power Lever is not compatible with Shimano® 11 / 12 speed Quick-Links (SM-CN900-11 / SM-CN910-12) when used as power link pliers.

# PAKGO SERIES

## BUILT FOR TRAVEL



### EASY TO PACK / UNPACK & GO



**Front :** Compatible with QR skewer or 12 mm x 100 mm thru axle (Road bike disc)

**Rear :** Compatible with 130 / 135 mm QR skewer or 12mm thru axles

### PAKGO XS

A compact highly mobile bike travel case

An easy to pack / unpack bike transport system featuring a lightweight and flexible Makrolon® polycarbonate shell with high-impact strength and reinforced with an aluminum mounting system. The upright case design with four large ø60mm multi-directional wheels delivers luggage-like ease while rolling and includes carry handles and a built-in TSA lock for safe and secure transport. Two wheel bags, protective sleeves, and drivetrain cover provide protection against scratches and grease stains while inner pockets help keep your gear organized all the way to your final destination. When you arrive, the mounting system unfolds to form a mini workstand to hold your frameset steady during re-assembly and fine tuning.

CAPACITY	Fits 26" and 700C wheel size bikes wheelbase up to 101 cm / 39.8" Tire size up to 26" x 2.35 or 700 x 32C (Not compatible with 27.5" and 29" wheel size mountain bikes)
MAX MINISTAND CAPACITY	17 kg / 37.5 lb
MATERIAL	100% Makrolon® polycarbonate shell
COMPATIBILITY	Front : Compatible with QR skewer or 12 mm x 100 mm thru axle (Road bike disc)  Rear : Compatible with 130 / 135 mm QR skewer or 12mm thru axles
MAX WEIGHT CAPACITY	17 kg / 37.5 lb
ADDED FEATURES	Upright case design, TSA lock, Carry handles, Four large ø60mm multi-directional wheels, Inner pockets Includes frameset mounting system, 2 wheel bags, Drivetrain cover, Protective sleeves, and Protective frame pads for frame tubes and fork blades
SIZE	113 (H) x 80 (L) x 35 (W) cm / 44.5" (H) x 31.5" (L) x 13.8" (W)
WEIGHT Approx	9 kg / 19.84 lb (Case only) 11.5 kg / 25.35 lb (With component protective covers)
ART NO.	TPG-XS



### HANDLEBAR MOUNTING OPTIONS



MAX MINISTAND  
CAPACITY  
**17 kg  
37.5 lb**


PakGo Replacement Kits



Zipper Pull (pair)  
Art No. TRK-TPGX-01



TSA Lock & Zipper Pull  
Art No. TRK-TPGX-02



Wheel Set (L+R)  
Art No. TRK-TPGX-03




Handle (set)  
Art No. TRK-TPGX-04



Inner Strap C  
Art No. TRK-TPGX-21



Inner Strap D  
Art No. TRK-TPGX-22



Hinge  
Art No. TRK-TPGX-07



Bumper (with hardware)  
Art No. TRK-TPGX-08



Name Plate (with hardware)  
Art No. TRK-TPGX-09



Adapter A  
Dummy Front fork Thru-Axle  
adapter (12 x 100mm) & QR Axle  
Holder (9mm)  
Art No. TRK-TPGX-10



Rubber Bottom Bracket Cradle  
Art No. TRK-TPGX-24



Adapter B  
Dummy rear hub (5 x 130 /  
135mm QR and 12mm thru-  
axle) and chain holder  
Art No. TRK-TPGX-13



1  
2  
3  
Front Fork Pad Set  
Art No. TRK-TPGX-32



4  
Chainstay Pad  
Art No. TRK-TPGX-28



4  
Rear Derailleur Pad  
Art No. TRK-TPGX-23



5  
Drivetrain Cover  
Art No. TRK-TPGX-30



6  
Seatpost Sleeve  
Art No. TRK-TPGX-31



Headset Spacer  
Art No. TRK-TPGX-14



Wheel Bag  
Art No. TRK-TPGX-18



Frame Pad  
Art No. TRK-TPGX-19



Bottom Bracket Strap &  
Buckle Set  
(71.5cm in length)  
Compatible with PakGo™ X &  
PrepStand™ X  
Art No. TRK-TPGX-20




\* Contents shown not included

PAKGO® GEARPACK

Carry all your cycling gear in one easy-to-pack bag when you head out for your riding adventure. Featuring the same cool shape as our PakGo travel cases, the hard shell GearPack features three divided compartments, six side pockets and keeps your helmet, cycling & post ride clothes, water bottles and more neatly organized, packed and ready to go.

COMPARTMENTS	3 compartments, 6 side pockets	ADDED FEATURES	Shoulder strap, Carry handle
CAPACITY	38 L / 2320 cl	SIZE	41 x 31 x 30 cm / 16.1" x 12.2" x 11.8"
MATERIAL	600 D / EVA foam	WEIGHT	1.28 kg / 2.82 lb
MAX LOAD CAPACITY	3 kg / 6.61 lb	ART NO.	TPG-GP



Three divided compartments and six side pockets keep your cycling gear organized, packed and ready to go!

Built-in handle and hide-away shoulder strap for easy carrying

# BIKEPACKING SERIES

## BUILT FOR ADVENTURE



BLACK | 600D Polyester



GREEN | 400D x 500D Nylon

### FRONTLOADER

Pack all the gear you need and enjoy the freedom of bikepacking. FrontLoader is perfect for carrying light yet bulky items like sleeping bags, camping gear and spare clothing. Featuring a tough outer support harness and constructed of durable abrasion and water resistant materials, it's easily installed or removed with two straps, special spacer mounts and quick release buckles. A backside head tube strap attachment increases load stability. An 8 liter removable waterproof drybag keeps contents completely protected from wet weather and splashes while a built-in air release button purges unwanted air from the bag to effectively compress its contents.

CAPACITY	8 L / 488 ci
MATERIAL	Polyethylene / EVA / Anti-slip texture PU leather Durable, water repellent and stain resistant
BAG ATTACHMENT	Durable NBR rubber spacers and straps with quick release buckles
WATERPROOF RATING	10,000 mm (waterproof carry bag)
MAX LOAD CAPACITY	5 kg / 11 lb
ADDED FEATURES	Waterproof carry bag, Air release button
SIZE	33 x 28.7 x 5 cm / 13" x 11.3" x 2" 50 x 15 x 15 cm / 19.7" x 5.9" x 5.9" (Waterproof Carry Bag)
WEIGHT	Bag 325 g / 11.46 oz (Black), 319 g / 11.25 oz (Green) Rubber Spacers 132 g / 4.65 oz
ART NO.	TBP-FL2B (Black) / TBP-FL2G (Green)

WATERPROOF | STRAP MOUNT



Easily and securely mounts to handlebar and head tube with adjustable straps. Adaptable design fits a variety of bike types



Adjustable rubber spacers absorb shock and add secure mounting



Rubberized material for extra grip and stability



Built-in air release button purges unwanted air to compress contents



Easy access to contents with 2 roll-up side closures



Included waterproof carry bag keeps contents dry



8L



Install / remove waterproof carry bag quickly and easily





BLACK | 600D Polyester

### TOPLOADER

The perfect companion for any dirt or road Bikepacking journey. TopLoader is a large capacity top tube mounted bag giving bikepackers and touring cyclists quick and easy access to energy bars, phone, wallet, tools or any small essential gear they need to access while stopped or on the move.

CAPACITY	0.75 L / 45 ci
COMPARTMENTS	Main divided / padded
MATERIAL	Polyethylene / nylon Lightweight, durable, water repellent and stain resistant
BAG ATTACHMENT	Adjustable nylon straps
TOP TUBE DIAMETER	Fits ø38 - ø170 mm
HEAD TUBE DIAMETER	Fits ø38 - ø52 mm
ADDED FEATURE	Integrated rain cover
SIZE	23.5 x 12 x 7 cm / 9.3" x 4.7" x 2.8"
WEIGHT	169 g / 5.96 oz (Black), 155 g / 5.47 oz (Green)
ART NO.	TBP-TL1B (Black) TBP-TL1G (Green)

#### STRAP MOUNT

NEW

GREEN | 400D x 500D Nylon



Convenient top tube mount keeps contents close at hand



Straps securely to the head tube and top tube



Alternative mounting position



Hidden pull-out rain cover protects bag contents



3 L

BLACK | 600D Polyester



4.5 L



6 L



NEW

GREEN | 400D x 500D Nylon



### MIDLOADER

Epic multi-day trail or road adventures require you to carry extra food, gear, tools and all the essentials when you're rolling around in the middle of nowhere. Designed to utilize the empty space in your bike frame, MidLoader carries your heaviest gear with little effect on bike handling. Constructed of lightweight, highly water resistant and durable materials, it mounts and removes quickly with hook and loop straps. Two full-length water resistant zippered openings provide easy access to all your gear (from either side) and feature flaps to prevent dust entry and help shed water in stormy weather.

CAPACITY	3 L / 183 ci 4.5 L / 275 ci 6 L / 366 ci
MATERIAL	Polyethylene / nylon Lightweight, durable, water repellent and stain resistant
BAG ATTACHMENT	Hook and loop fastener
MAX LOAD CAPACITY	6.5 kg / 14.33 lb
TOP TUBE DIAMETER	Fits ø45 - ø66 mm
DOWN TUBE DIAMETER	Fits ø38 - ø70 mm
SEAT TUBE DIAMETER	Fits ø28 - ø60 mm
SIZE	37.5 x 12 x 6 cm / 14.8" x 4.7" x 2.4" (3 L) 46 x 12 x 6 cm / 18.1" x 4.7" x 2.4" (4.5 L) 54.5 x 13.5 x 6 cm / 21.5" x 5.3" x 2.4" (6 L)
WEIGHT	3 L 169 g / 5.96 oz (Black), 152 g / 5.36 oz (Green) 4.5 L 195 g / 6.88 oz (Black), 180 g / 6.35 oz (Green) 6 L 337 g / 11.89 oz (Black), 203 g / 7.16 oz (Green)
ART NO.	TBP-ML4B (3 L) Black TBP-ML5B (4.5 L) Black TBP-ML3B (6 L) Black  TBP-ML4G (3 L) Green TBP-ML5G (4.5 L) Green TBP-ML6G (6 L) Green

#### STRAP MOUNT




Full-length water resistant zippers on each side for easy access to contents. Zipper flaps prevent dust entry and help shed water in stormy weather



Straps securely to the bike frame

3 L   L1: 37.5 cm / 14.8" L2: 28 cm / 11" H: 12 cm / 4.7"	6 L   L1: 54.5 cm / 21.5" L2: 44 cm / 17.3" H: 13.5 cm / 5.3"
4.5 L   L1: 46 cm / 18.1" L2: 36 cm / 14.2" H: 12 cm / 4.7"	





## BACKLOADER

Listen up... adventure is calling. Pack up your gear, get on your bike, and ride that epic trail or mountain road. BackLoader is a large capacity seat bag specifically designed for bikepackers wanting a streamlined way to carry gear without the need for a rear rack. Constructed of lightweight, highly water resistant and durable materials, it mounts and removes quickly. The upgraded saddle mount system, in conjunction with compression straps, greatly reduces the swaying associated with heavier rear payloads, providing a comfortable ride for those long days in the saddle. An easy access waterproof inner bag is included to keep contents completely dry.

CAPACITY	6 L / 366 ci 10 L / 610 ci 15L / 915 ci
MATERIAL	Polyethylene / nylon Lightweight, durable, water repellent and stain resistant
BAG ATTACHMENT	Hook and loop fastener
WATERPROOF RATING	10,000 mm (waterproof inner bag)
MAX LOAD CAPACITY	5 kg / 11 lb
ADDED FEATURE	Waterproof inner bag, Safety light clip Air release button
SIZE	50 (max) x 16 x 15 cm / 19.7" (max) x 6.3" x 5.9" (6 L) 60 (max) x 20 x 18 cm / 23.6" x 7.9" x 7.1" (10 L) 67 (max) x 28 x 18 cm / 26.4" x 11" x 7.1" (15 L)
WEIGHT	6 L 445 g / 15.70 oz (Black), 413 g / 14.57 oz (Green) 10 L 480 g / 16.93 oz (Black), 459 g / 16.19 oz (Green) 15 L 565 g / 19.93 oz (Black), 508 g / 17.92 oz (Green)
ART NO.	TBP-BL1B (6 L) Black TBP-BL2B (10 L) Black TBP-BL3B (15 L) Black  TBP-BL1G (6 L) Green TBP-BL2G (10 L) Green TBP-BL3G (15 L) Green



### Minimum Clearance

L1 : 9 cm / 3.5"  
L2 : 2.5 cm / 1"



WATERPROOF | STRAP MOUNT



## BARLOADER

A quick mount handlebar drybag that can be used alone or mounted as an accessory bag atop our FrontLoader bag system. Featuring sonically welded seams, a roll top closure and weathertight zippers the BarLoader protects your valuable gear from dry dusty trails or rain when riding in wet conditions.

CAPACITY	6.5 L / 395 ci
MATERIAL	TPU
BAG ATTACHMENT	Quick release buckles and hook and loop fastener
MAX LOAD CAPACITY	3 kg / 6.61 lb
ADDED FEATURES	Inner bag, Reflective printing, Shoulder strap
SIZE	31 x 25.8 x 8.9 cm / 12.2" x 10.2" x 3.5"
WEIGHT	325 g / 11.46 oz (w/ inner bag)
ART NO.	TBP-BRL1B

WATERPROOF | STRAP MOUNT



Included shoulder strap for off-bike use



Detachable inner bag keeps gear well-organized and easily accessible



Roll top closure for increased flexibility. Quick release buckles for fast mounting and removal

## FREELoader

A handy, on-the-go stem bag stores munchies, a phone, small camera, extra bottle or anything else you need to keep close at hand. An additional mesh side pocket provides more space for smaller items.

CAPACITY	1 L / 60 ci
MATERIAL	Nylon / EVA / Yellow lining
BAG ATTACHMENT	Hook and loop fasteners at handlebar / stem Adjustable strap for head tube / fork
MAX LOAD CAPACITY	1 kg / 2.20 lb
ADDED FEATURES	Mesh side pocket, Bottom water escape hole
SIZE	17 x ø9.5 cm / 6.7" x ø3.7"
WEIGHT	125 g / 4.41 oz
ART NO.	TBP-FRL1B

STRAP MOUNT



Mesh side pockets for increased carrying capacity



Keep essentials close at hand



Water drain at bottom of bag

# BAGS SERIES

## BUILT FOR CONVENIENCE



Included straps fits  
ø33 - ø72 mm tubes

### FASTFUEL TRIBOX

An aerodynamic top tube fuel box design minimizes wind drag while eliminating interference with legs. Mounts by built-in top tube integrated bosses or secure scratch-free straps. The large opening provides quick and convenient access to energy bars, gels, or other energy items. Compatible with triathlon, time trial and road bikes.

CAPACITY	0.65L / 40 cl, 6-8 gel packs
COMPARTMENT	One main
MATERIAL	TPR / Engineering grade polymer
BAG ATTACHMENT	Triathlon - top tube frame mount with integrated bosses Road - straps on frame top tube
TOP TUBE DIAMETER	Fits ø33 - ø72 mm
ADDED FEATURE	Secure scratch-free straps, 3M™ transparent protective film
SIZE	26.7 x 6.3 x 4.9 cm / 10.5" x 2.5" x 1.9"
WEIGHT	207 g / 7.30 oz (with straps)
ART NO.	TC2307B



Aerodynamic design minimizes wind drag and eliminates leg contact




Mounts on triathlon frame top tube with built-in mounting bosses



Mounts on frame top tube with two secure scratch-free straps using 3 possible mounts positions



The uniquely designed shell allows cables to route straight through to the top tube



Soft and flexible TPR material provides convenient access to energy bars, gels and supplies

# FASTFUEL DRYBAG X

A hard shell, weatherproof top tube mounted bag features a streamlined shape to eliminate leg contact. Large capacity zippered compartment gives cyclists quick and easy access to energy bars, smartphone, tools or any small essential gear they need.

COMPARTMENT	1 main
CAPACITY	1 L / 60 cl
MATERIAL	TPU
BAG ATTACHMENT	Adjustable nylon straps
TOP TUBE DIAMETER	Fits ø38 - ø170 mm
HEAD TUBE DIAMETER	Fits ø38 - ø52 mm
SIZE	22.5 x 9.2 x 6 cm / 8.9" x 3.6" x 2.4"
WEIGHT	119 g / 4.20 oz
ART NO.	TC2306B



Hard shell construction, weatherproof top tube mounted bag



Fits 6.5" screen smartphones



Straps securely to top tube and head tube with 2 option positions



# BURRITO PACK

A compact roll-up with three compartments and internal organizers to keep gear and small items neatly in place. The durable water repellent and stain resistant coating keeps contents dry and cleans up easily. Secure strap provides tool-free mounting to frame tube, seat post or to saddle rails.

COMPARTMENTS	3
MATERIAL	Polyethylene / Engineering grade polymer. Durable water repellent and stain resistant coating
COMPATIBILITY	Fits inner tube sizes - 26" x 1.75 - 29" x 19/2.35 and 700c Topeak CO <sub>2</sub> inflator, CO <sub>2</sub> cartridges, Tire levers
BAG ATTACHMENT	Secure strap
MOUNT	Saddle rails, Underneath top tube
SIZE	15 x 10.5 x 2 cm / 5.9" x 4.1" x 0.8"
WEIGHT	91 g / 3.21 oz
ART NO.	TC2308B



Fits one inner tube, Topeak CO<sub>2</sub> inflator, CO<sub>2</sub> cartridges, Tire levers



3 compartments and internal organizers keep gear and small items neatly in place

\* Contents shown not included

# PANNIER DRYBAG 15L / 20L

The new Pannier DryBag is constructed from a tough, sonically welded and sealed waterproof material. A watertight roll-top closure provides maximum protection from trail dust, road spray and nasty wet weather. Our new Handle Loc system quickly and securely attaches the pannier to the rack and is quickly removed with a simple upward press & pull of the top mounted carry handle.

CAPACITY	15 L / 915 cl (Per single bag) 20 L / 1220 cl (Per single bag)
MATERIAL	Waterproof fabric sonically welded seams
BAG ATTACHMENT	Handle Loc system, Fits racks ø8 / 10 / 12 / 16 mm
ADDED FEATURES	Roll-top closure, Shoulder strap, Reflective printing
SIZE	45 x 26 x 15 / 17.7" x 10.2" x 5.9" (15 L / Closure) 47 x 31.3 x 15 / 18.5" x 12.3" x 5.9" (20 L / Closure)
WEIGHT	700 g / 1.54 lb (15 L) 784 g / 1.73 lb (20L)
ART NO.	TT9860B (15L) TT9861B (20L)


## HANDLE LOC SYSTEM | WATERPROOF



Includes shoulder strap



## HANDLE LOC SYSTEM





## MTS TRUNKBAG DXP STRAP TYPE


Dual molded side panels combine with flexible 600 denier fabric to form a semi rigid, weather resistant trunkbag. Divided main compartment and side panels expand for extra storage capacity. Rear water bottle holder lets you carry more water on extended trips. Attaches to a rack with straps, or use the integrated plate to quickly and easily install a KLiCKfix® / Racktime® Snapit or Vario Adapter.

COMPARTMENTS	1 Divided main with multi-stage expandable top Two side with expandable panniers
CAPACITY	22.6 L / 1380 ci
INSULATION	Rigid EVA foam
MATERIAL	600 denier polyester
BAG ATTACHMENT	Hook and loop fastener Integrated plate for installing KLiCKfix® / Racktime® Snapit or Vario Adapter
MAX LOAD	Limited to rack max loading rating
ADDED FEATURES	Water bottle holder, Shoulder strap, Carrying handle Shock cord, 3M™ reflective strip Safety light clip, Optional rain cover
SIZE	36 x 25 x 21.5-29 cm / 14.1" x 9.8" x 8.5"-11.4"
WEIGHT	974 g / 2.15 lb
ART NO.	TT9649B

### MTS STRAP SYSTEM



Straps provide security and attach on any rack



DXP model feature an expanding top panel & side panniers



Includes a comfortable shoulder strap




## MTS TRUNKBAG EX STRAP TYPE

Dual molded side panels combine with flexible 600 denier fabric to form a semi rigid, weather resistant trunkbag. Features a divided main compartment with mesh side compartments and rear water bottle holder. Attaches to a rack with straps, or use the integrated plate to quickly and easily install a KLiCKfix® / Racktime® Snapit or Vario Adapter.

COMPARTMENTS	1 Divided main, Two mesh side
CAPACITY	8 L / 480 ci
INSULATION	Rigid EVA foam
MATERIAL	600 denier polyester
BAG ATTACHMENT	Hook and loop fastener Integrated plate for installing KLiCKfix® / Racktime® Snapit or Vario Adapter
MAX LOAD	Limited to rack max load rating
ADDED FEATURES	Water bottle holder, Shoulder strap, Carrying handle Shock cord, 3M™ reflective strip Safety light clip, Optional rain cover
SIZE	36 x 21 x 19 cm / 14.2" x 8.3" x 7.5"
WEIGHT	611 g / 1.35 lb
ART NO.	TT9650B



Integrated plate for installing KLiCKfix™ / Racktime® Snapit or Vario Adapter



High-Impact  
Resistant  
Frame

High-grade  
engineering  
polymer

Cushion  
rubber

Flipstand

Wireless  
Charging



Works with iPhone 11 Pro Max



Works with iPhone 11 pro



Works with iPhone 11

## RIDECASE® WORKS FOR IPHONE 11 SERIES

The RideCase for iPhone has a scratch resistant, dual density, non-slip, high-grade engineering polymer/rubber exoskeleton for shock and impact protection that holds your phone securely while on the go. Its unique and full angle adjustable mount allows viewing in landscape or portrait orientation and lets you mount or remove the RideCase in seconds. An integrated flip stand allows for easy viewing off your bike and is compatible with wireless charging.

MATERIAL	Engineering grade polymer / Rubber / Machined aluminum
MOUNT	Included mounts for installation on handlebar, stem or stem cap
ADDED FEATURES	Integrated flipstand for landscape or portrait viewing Angle adjustable, Rotates for landscape or portrait viewing

WORKS WITH IPHONE 11 PRO MAX	WORKS WITH IPHONE 11 PRO	WORKS WITH IPHONE 11
SIZE 16.5 x 8.5 x 145 cm / 6.5" x 3.3" x 0.57"	SIZE 15 x 7.8 x 145 cm / 5.9" x 3.1" x 0.57"	SIZE 15.7 x 8.2 x 15 cm / 6.2" x 3.2" x 0.59"
WEIGHT 44 g / 1.55 oz	WEIGHT 34 g / 1.20 oz	WEIGHT 35 g / 1.23 oz
ART NO. With RideCase Mount TT9865BG Case only TRK-TT9865BG	ART NO. With RideCase Mount TT9863BG Case only TRK-TT9863BG	ART NO. With RideCase Mount TT9862BG Case only TRK-TT9862BG



\* Smartphone not included

RideCase Mount lets you mount or remove RideCase in seconds




All RideCases are compatible with Lightning port charging



# ESCAPE POD S / M / L

The Escape Pod allows you to store a mini tool, CO<sub>2</sub> inflator, tire levers, spare tube, a mini pump (Large Pod) or any essential gear for your ride. The rigid and durable Escape Pod features interior foam padding and neoprene bag to keep contents quiet and accessible. Easily slides into most water bottle cages giving you the perfect way to carry extra gear on your next adventure!

CAPACITY	520 cc (S) 620 cc (M) 850 cc (L)	SIZE	13.8 x ø 7.4 cm / 5.4" x ø 2.9" (S) 16.4 x ø 7.4 cm / 6.5" x ø 2.9" (M) 23.5 x ø 7.4 cm / 9.3" x ø 2.9" (L)
MATERIAL	Engineering grade polymer	WEIGHT	62 g / 2.19 oz (S), 72 g / 2.54 oz (M), 121 g / 4.27 oz (L) (w/ bag)
ATTACHMENT	Water bottle cage	ART NO.	TEP-SB (S) TEP-MB (M) TEP-LB (L)
ADDED FEATURES	Interior foam padding, Neoprene bag		



\* Contents shown not included



# NINJA CAGE SK+ RIGHT HAND / LEFT HAND

An easy-to-grab, side access bottle cage that firmly holds your water bottle even on the roughest terrain. Ideal for full suspension or smaller frame bikes where bottle access can be challenging. Ninja Master QuickClick™ mounting system allows you to add tools, CO<sub>2</sub> inflator kit or bags with a simple twist and a click.

MATERIAL	Engineering grade polymer
OUTER DIAMETER	Fits standard water bottles
COMPATIBILITY	Ninja master cage accessories
ADDED FEATURES	Includes Ninja QuickClick Mount Optional Ninja PET Bottle Mount (Art No. TNJM-PBM)
SIZE	14.8 x 8.4 x 8.1 cm / 5.8" x 3.3" x 3.2"
WEIGHT	43 g / 1.52 oz
ART NO.	TNJM-SKPR (Right hand) TNJM-SKPL (Left hand)



# OMNI CARMOUNT

A smartphone holder with powerful suction cup mount providing tool-free installation on car windshields and windows. Fits 4.5"-6.5" screen smartphones. 360° adjustable and rotates for landscape or portrait viewing.

MATERIAL	Engineering grade polymer / Rubber suction pad
ADDED FEATURES	Angle adjustable, Rotates for landscape or portrait viewing, Compatible with any smartphone with width 6 - 8.7 cm and thickness less than 1.3 cm
SIZE	12.6 x 10 x 8 cm / 5" x 3.9" x 3.1"
WEIGHT	145 g / 5.11 oz
ART NO.	TC1031





MAX CAPACITY  
**120** kg  
**265** lb



Optional carry bag  
Art No. TWB025



Center mounted, height adjustable pillar provides rigid support on various terrain



Included wear-resistant rubber pads prevent scratches from saddles



Tripod rubber base feet adds stability and folds for storage and transport

## RALLY STAND

The perfect multi-bike rack for races, Gran Fondos, triathlons and bike shop ride nights. The Rally Stand sets up in seconds and holds up to 12 bikes, allowing each to safely hang by its saddle. A unique center pillar eliminates sag under heavy loads, allows more bikes to be stored and makes the Rally Rack one of the most stable event stands in the industry. Height adjustable, modular design quickly and compactly folds away when it's time to pack and head home.

ATTACHMENT	Saddle up
HOLDER HEIGHT	128 cm / 50.4"
FOLDING	QR clamps
BASE	HD folding 6061-T6 tubes
MATERIAL	6061-T6 tubes / Aluminum
MAX CAPACITY	120 kg / 265 lb For 10 MTB, 12 road bikes, 4 e-MTB or 6 e-road bikes
ADDED FEATURE	Rubber base feet, Wear-resistant rubber pads, Adjustable support pillar
SIZE	412 x 126 x 94 cm / 162" x 50" x 37" (Open) 150 x 30 x 22 cm / 59" x 11.8" x 8.7" (Folded)
WEIGHT	12 kg / 26.5 lb
ART NO.	TW025



Modular design provides expansion capability for more bikes



## FLASHSTAND® SLIM X

The evolution of our easy-to-use, portable, crank arm bike stand. The FlashStand Slim X unfolds to quickly slip over the lower crankarm to hold your road bike upright on smooth, flat surfaces. Fits 700c road bikes with crank arm dimension  $\leq 41 \times 16 \times 80$  mm (WxDxH). When folded the FlashStand™ Slim X small size easily slips into a saddle bag.

CLAMP OPENING	Road bike cranks Crankarm dimension $\leq 41 \times 16 \times 80$ mm (W x D x H)
MATERIAL	Aluminum / Engineering grade polymer
COMPATIBILITY	Compatible with non-drive side crankarms of Shimano®, Sram® and Campagnolo®
MAX LOAD	14 kg / 30.8 lb
ADDED FEATURE	Storage bag
SIZE	18 x 16 x 13 cm / 7.1" x 6.3" x 5.1" (Open) 16 x 4.7 x 2.3 cm / 6.5" x 1.9" x 0.9" (Folded)
WEIGHT	196 g / 6.91 oz
ART NO.	TW026



Sturdy aluminum and polymer construction is durable, portable and easy-to-use



Fits most Shimano®, Sram® and Campagnolo® road bike crankarms\*



\* Fits 700c road bikes with crankarm dimension  $\leq 41 \times 16 \times 80$  mm (WxDxH) and recommends to mount on non-drive side crankarm



# FENDERS SERIES

## BUILT FOR PROTECTION



D-Flash FS (Fork Stem)



D-Flash ST (Seat Tube)



1 D-Flash FS



D-Flash DT (Down Tube)



Reflective printing adds safety at night



2 D-Flash DT



D-Flash S (Saddle Rails)



3 D-Flash S



4 D-Flash ST

### D-FLASH

These flat-printed, origami inspired polypropylene fenders are ultralight, stylish, quickly attach and ready to go when wet weather arrives. Simply remove from the package, punch out the shape and fold along the perforated lines. 3M™ Reflective printing adds safety at night while multi-mount positions and hook and loop straps allows fenders to fit a wide range of bikes.

<b>MATERIAL</b>	Polypropylene	<b>WEIGHT</b>	47 g / 1.66 oz (FS) 68 g / 2.40 oz (DT) 42 g / 1.48 oz (S) 75 g / 2.65 oz (ST)
<b>ADD FEATURE</b>	3M™ reflective printing	<b>ART NO.</b>	TC9652 (FS) (on fork stem) TC9654 (DT) (on downtube) TC9651 (S) (on saddle rails) TC9653 (ST) (on seat tube)
<b>SIZE (in length)</b>	31 cm / 12.2" (FS) 35 cm / 13.8" (DT) 31.7 cm / 12.5" (S) 57.5 cm / 22.6" (ST)		

# RACKS SERIES

## BUILT TO CARRY



## TETRARACK SERIES



### QUICKTRACK®

QuickTrack® is an ingeniously simple attachment system which allows our TrunkBags to interface securely to an MTX or RX rack. Simply slide your TrunkBag forward in the track until it locks in place. Push the release button and your TrunkBag slides off the track and goes with you.




### RACKTIME® SNAPIT / VARIO COMPATIBLE

The TetraRack platform is compatible with KLIckfix® / RackTime® Snapit or Vario system bags.



### ADJUST TO FIT ANY FRAME GEOMETRY

Adjustable straps with padded feet securely attach rack to fork legs or seatstays.



### ADJUST TO FIT ANY FRAME GEOMETRY

Strut slot design allows platform to be adjusted independently of the fork or seatstay angle.



## TETRARACK M1 FRONT

The perfect quick-mount front rack system for MTB suspension forks or rigid forks without rack eyelets. This one-size-fits-all front rack features an innovative top plate that adjusts to level independent the fork angle. Integrated QuickTrack® system allows Topeak TrunkBags to slide and lock into place and release with a the push of a button. Innovative hook and loop strap mounting system cinches down tight to keep the load stable and allow mounting on a wide range of bikes. Also compatible with KLIckfix® / RackTime® Snapit or Vario system bags.

ATTACHMENTS	Fork with hook and loop straps
ADJUSTMENT	Strut slots
MATERIAL	Aluminum / Engineering grade polymer / Nylon straps
COMPATIBILITY	Topeak MTX / RX TrunkBags, KLIckfix® / RackTime® Snapit or Vario system bags
MAX LOAD	10 kg / 22 lb
ADDED FEATURES	Clamp for front reflector, Tail Light Mount
SIZE	37.4 x 32.2 x 16.5 cm / 14.7" x 12.7" x 6.5"
WEIGHT	910 g / 2.01 lb
ART NO.	TA2408M1

### QUICKTRACK



- 1 Strut slot adjustments allow the rack top plate to be level, independent of the fork angle
- 2 Adjustable straps with padded feet securely attach rack to fork legs
- 3 Compatible with Topeak QuickTrack® system bags and KLIckfix® / RackTime® Snapit or Vario system bags
- 4 Included clamp allows mounting of reflector

\* Front / rear reflectors not included



## TETRARACK M2 REAR

The perfect quick-mount rear rack system attaches to MTB full suspension seatstays or hardtail MTB without rack eyelets. This one-size-fits-all front rack features an innovative top plate that adjusts to level independent of the seatstay angle. Integrated QuickTrack® system allows Topeak TrunkBags to slide and lock into place and release with a the push of a button. Innovative hook and loop strap mounting system cinches down tight to keep the load stable and allow mounting on a wide range of bikes. Also compatible with KLIckfix® / RackTime® Snapit or Vario system bags.

ATTACHMENTS	Seatstays with hook and loop straps
ADJUSTMENT	Strut slots
MATERIAL	Aluminum / Engineering grade polymer / Nylon straps
COMPATIBILITY	Topeak MTX / RX TrunkBags, KLIckfix® / RackTime® Snapit or Vario system bags
MAX LOAD	12 kg / 26 lb
ADDED FEATURE	Clamp for rear reflector, Tail Light Mount
SIZE	42 x 33.2 x 14.5 cm / 16.5" x 13.1" x 5.7"
WEIGHT	960 g / 2.12 lb
ART NO.	TA2408M2

### QUICKTRACK



- 1 Strut slot adjustments allow the rack top plate to be level, independent of the seatstay angle
- 2 Adjustable straps with padded feet securely attach rack to seatstays
- 3 Compatible with Topeak QuickTrack® system TrunkBags and KLIckfix® / RackTime® Snapit or Vario system bags
- 4 Included clamp allows mounting of reflector



## TETRARACK R1 FRONT

The perfect quick-mount front rack system for road, cross, hybrid or touring bikes with rigid forks. This one-size-fits-all front rack features an innovative top plate that adjusts to level independent the fork angle. Integrated QuickTrack® system allows Topeak TrunkBags to slide and lock into place and release with a the push of a button. Innovative hook and loop strap mounting system cinches down tight to keep the load stable and allow mounting on a wide range of bikes.

ATTACHMENTS	Fork with hook and loop straps
ADJUSTMENT	Strut slots
MATERIAL	Aluminum / Engineering grade polymer / Nylon straps
COMPATIBILITY	Topeak MTX / RX TrunkBags, KLIckfix® / RackTime® Snapit or Vario system bags
MAX LOAD	7 kg / 15 lb
ADDED FEATURE	Clamp for front reflector, Tail Light Mount
SIZE	33 x 29.3 x 12 cm / 13" x 11.5" x 4.7"
WEIGHT	840 g / 1.85 lb
ART NO.	TA2407R1 (Compatible with KLIckfix® / RackTime® Snapit or Vario system bags) TA2409R1

### QUICKTRACK



## TETRARACK R2 REAR

The perfect quick-mount rear rack system attaches to road, cross, hybrid or touring bike seatstays. This one-size-fits-all front rack features an innovative top plate that adjusts to level independent the seatstay angle. Integrated QuickTrack® system allows Topeak TrunkBags to slide and lock into place and release with a the push of a button. Innovative hook and loop strap mounting system cinches down tight to keep the load stable and allow mounting on a wide range of bikes.

ATTACHMENTS	Seatstays with hook and loop straps
ADJUSTMENT	Strut slots
MATERIAL	Aluminum / Engineering grade polymer / Nylon straps
COMPATIBILITY	Topeak MTX / RX TrunkBags, KLIckfix® / RackTime® Snapit or Vario system bags
MAX LOAD	9 kg / 20 lb
ADDED FEATURE	Clamp for rear reflector, Tail Light Mount
SIZE	39.5 x 30 x 12 cm / 15.6" x 11.8" x 4.7"
WEIGHT	870 g / 1.92 lb
ART NO.	TA2407R2 (Compatible with KLIckfix® / RackTime® Snapit or Vario system bags) TA2409R2

### QUICKTRACK





## TAILLUX 100 USB

Dual color, USB rechargeable, ultra-bright tail light with four lighting modes features a spot / flood beam providing 100 lumens of extreme rear visibility. EPDM band provides bi-directional tool-free mounting and easy removal on aero or round seatposts, or helmet.

MAX LUMINOUS INTENSITY	100 Lumens
LAMP	9 super bright LED's
BATTERY	3.7 V 700mAh Lithium Ion (integrated)
CONTROL / BURN TIME APPROX	4 modes 3 hr (Constant), 5 hr (Blinking+Constant) 10 hr (Constant+Blink Sequence) / 30 hr (Blinking)
CHARGE / CHARGE TIME APPROX	USB Type-C / 3-4 hr
INPUT	5V 500mA
LAMP HOUSING	Engineering grade polymer
STRAP MOUNT	Fits aero or round seatposts (ø25.4 - ø34.9mm), seatstay, Topeak bags and helmet
WATERPROOF	IPX 6
SIZE	5.7 x 4.1 x 2.5 cm / 2.2" x 1.6" x 1"
WEIGHT	30 g / 1.06 oz
ART NO.	TMS093RR (Red/Red) TMS093RY (Red/Amber)

100 LUMENS (MAX) | USB CHARGER



Recharge via micro-USB cable to computer



Includes mounting clip that attaches easily to Topeak bags



Mounts on aero or round seatposts



EPDM band allows tool-free mounting / removal from helmet



## SIDELUX 100 USB (SET)

Amber colored LEDs, USB rechargeable safety side lights with four lighting modes features a spot / flood beam providing dual 100 lumens of side light brightness for added visibility at intersections during day or night. EPDM band provides bi-directional tool-free mounting and easy removal on front fork.

MAX LUMINOUS INTENSITY	200 Lumens (100 Lumens each light)
LAMP	9 super bright LED's
BATTERY	3.7 V 500mAh Lithium Ion (integrated)
CONTROL / BURN TIME APPROX	4 modes 2 hr (Constant), 3 hr (Blinking+Constant) 6 hr (Constant+Blink Sequence) / 20 hr (Blinking)
CHARGE / CHARGE TIME APPROX	USB Type-C / 3-4 hr
INPUT	5V 500mA
LAMP HOUSING	Engineering grade polymer
STRAP MOUNT	Fits front fork (ø30 - ø45mm)
WATERPROOF	IPX 6
SIZE	5.7 x 4.1 x 2.5 cm / 2.2" x 1.6" x 1"
WEIGHT	30 g / 1.06 oz
ART NO.	TMS095YY (Set)

100 / 100 LUMENS (MAX) | USB CHARGER



Mounts on front fork



## OMNI QUICKTRACK® ADAPTER

Omni QuickTrack™ Adapter attaches to a standard rear rack or Racktime® system platform allowing the use of popular Topeak TrunkBags and rear baskets. Adjustable mounting brackets fit rear rack widths from 90mm to 120mm with 10mm to 12mm rack tube dimensions.

ATTACHMENTS	Rear rack deck
MATERIAL	Engineering grade polymer
COMPATIBILITY	Fits rear rack without top plate and spring clip, Rear rack width 90mm - 120mm, Rack tubes, 10mm to 12mm diameter
MAX LOAD	Limited to rack max loading rating
ADDED FEATURES	Compatible with Topeak MTX / RX TrunkBags and MTX rear baskets
SIZE	32 x 9.4 x 6.1 cm /
WEIGHT	230 g / 8.11 oz
ART NO.	TA2406

### QUICKTRACK



Fits rear rack without top plate and spring clip. Four adjustable mounting positions fit different length of rear racks



Fits rack tubes ø10mm - ø12mm



Compatible with Topeak MTX / RX TrunkBags and MTX rear baskets



Adjustable mounting brackets accommodate rear rack width 90 mm - 120mm

3M™ is a registered trademark of 3M Company. Shimano® is a registered trademark of Shimano Inc. SRAM® is a registered trademark of SRAM Inc. Mavic® is a registered trademark of SALOMON S.A. Campagnolo® is a registered trademark of Campagnolo S.r.l. Torx® is a registered trademark of the Camcar Corp. division of Textron Inds. GoPro® is a registered trademark of GoPro, Inc. Garmin® is a registered trademark of Garmin Ltd. Wahoo® is a registered trademark of Wahoo Fitness. FSA® is a registered trademark of Full Speed Ahead Inc. Ritchey® is a registered trademark of Ritchey Design Inc. Scott® and SYNCROS® are the registered trademarks of SCOTT Sports SA. Most® is a registered trademark of Cick Pinarello SRL. Canyon® is a registered trademark of Canyon Bicycles GmbH. Sigma® is a registered trademark of SIGMA-ELEKTRO GmbH. Racktime® is a registered trademark of tubus carrier systems GmbH. KICKR® is a registered trademark of RXEN & KAUL GmbH.



## COCKPIT CENTER MOUNT FOR INTEGRATED BARS

An innovative cycle computer / action camera center mount specifically designed for integrated stem / handlebar systems. Various mounting positions for Garmin® Edge / Wahoo® / Sigma® GPS cycle computers and GoPro® / Shimano® sport cameras, Topeak CubiCubi front lights, WhiteLite HP 500 and other GoPro mount compatible devices.

MATERIAL	Forged aluminum / Engineering grade polymer
HANDLEBAR COMPATIBILITY	Shimano® Pro Stealth, FSA® Plasma, Ritchey® WCS Solostream, SCOTT® SYNCROS® RR1.0 Carbon Aero 420 Bar/Stem, Most® Talon, Canyon® H31, and CP Series.
DEVICE	Garmin® Edge / Wahoo® / Sigma® GPS cycle computers,
COMPATIBILITY	Topeak CubiCubi front lights, WhiteLite™ HP 500 and GoPro® series
SIZE	15.2 x 3.5 x 3 cm / 6" x 1.4" x 1.2"
WEIGHT	67 g / 2.36 oz
ART NO.	TC1032



Adjustable positions for handlebar center mount installation



Use Garmin® / Wahoo® / Sigma® GPS cycle computer and CubiCubi front light from a single mount