



MOUNTING ON HANDLEBAR



BATTERY CHARGING



- The WhiteLite™ Mini USB **Charge Indicator** will be lit GREEN when charging. LED will turn off when battery is fully charged.
- The WhiteLite™ Mini USB **Charge Indicator** will be lit RED when the remaining battery power is low. Please charge the light as soon as possible.
- The WhiteLite™ Mini USB LED will not illuminate if the battery is faulty.
- Disconnect the Micro-USB cable from your computer port when the WhiteLite Mini USB is removed.
- After WhiteLite™ Mini USB is fully charged, unplug the USB cable.
- · Do not open light body.
- \bullet Li-ion battery may take 3 to 5 charging cycles to attain full capacity.
- Do not leave battery connected to charge source over 48 hours continuously.
- Charging with USB hub will take longer.
- After long periods of non-use, the battery will lose charge. Always charge the battery fully before each use and storage.
- · Maintain the battery by charging it every two months and storing it in a cool, dry place to prevent from decreasing its lifespan.
- · Safely and properly dispose of the old Li-ion batteries according to your local regulations.

SPECIFICATION

Function: Blinking / 0.5W Constant / Rapid Blink Burn Time: 7 hr / 3 hr / 35 hr

Luminous: 60 Lumens

Lamp: 2 super bright 0.3W white LEDs

Battery: 3.7V 330mAh Lithium Ion Charge: USB power supply 5V

500mA

Weight: 22 g / 0.78 oz (light only)

Reserve Time: 0.5 hr

SPARE PARTS Rubber Straps

(fits > ø34.9 mm)



(fits ø22.2 ~ ø25.4 mm)

(fits ø25.4 ~ ø31.8 mm)

(fits ø31.8 ~ ø34.9 mm)

Art No. TMS-SP98

WARNING

Art No. TMS-SP99

- Although light body is water-resistant (under normal weather conditions of rain, etc.) never intentionally submerge it underwater.
- For ultimate safety, the WhiteLite™ Mini USB should be used in conjunction with a specific night riding light.
- In addition to its brightness, the beam is widely diffused. In case you need to use this light on public roads, be sure to adjust the angle downward so as not to blind oncoming traffic.



WARRANTY

1-year Warranty: All mechanical components against manufacturer defects only.

Warranty Claim Requirements

To obtain warranty service, you must have your original sales receipt. Items returned without a sales receipt will assume that the warranty begins on the date of manufacture. All warranties will be violed to described data the waitancy begins on the base of maintracture. All waitances will be void it the product is damaged due to user crash, abuse, system alteration, modification, or used in any way not intended as described in this manual.

* The specifications and design are subject to change without notice.

Please contact your Topeak dealer with any questions. For USA customer service, call: 1-800-250-3068

